Research Article Volume 01, Issue No. 02. 2025

The Medical Journal of Dentistry of Oral Maxillofacial Surgery



Fracture Of The Genial Tubercles Of The Mandible

[1] Faisal, [1] Mutiara

[1] Faculty of Dentistry, Padjadjaran University, Bandung City, West Java, Indonesia

Correspondence : drg.faisal394847@gmail.com

Article History :

Received date : 2024/07/29
Revised date : 2024/08/06
Accepted date : 2024/09/12
Published date : 2025/01/24

Copyright: *© 2024 by the authors. Submitted for possible open access publication under the terms and conditions of the Creative Commons Attribution (BY NC) license (https://creativecommons.org/licenses/by-nc/4.0/).*

ABSTRACT

Background: The literature on mandibular fractures, specifically concerning the genial tubercles, underscores a multifaceted understanding of both the complexities of these injuries and the various management strategies available. **Literature Review:** Further exploration by (Guven et al., 2015) delves into complex facial trauma cases, highlighting the intricate nature of managing multiple mandibular fractures and the associated dentoalveolar injuries. Their insights into surgical considerations and the need for a multidisciplinary approach are vital for effective treatment outcomes. The discussion of pathological fractures by (Carlsen & Marcussen, 2015) adds depth to the literature by addressing the diagnostic dilemmas and treatment protocols associated with conditions like osteoradionecrosis, emphasizing the necessity of individualized management plans. The retrospective analysis conducted by (Srinivasan et al., 2019) provides epidemiological insights into mandibular fractures, detailing demographic factors and common etiologies that inform targeted prevention strategies. This data is crucial for clinicians in understanding the population most affected by these injuries and the typical fracture patterns encountered in practice. The specific focus on the mandibular angle region by (Sobrinho Sangalette et al., 2019) reinforces the urgency of prompt surgical intervention to mitigate long-term complications. Their emphasis on imaging techniques for accurate diagnosis and treatment planning is echoed in the systematic review by (T. Chang et al., 2019), which elucidates the anatomical significance of the genial tubercle in obstructive sleep apnea treatment, providing critical measurements that enhance surgical planning. **Conclusion:** In conclusion, the collective contributions of these articles provide a nuanced understanding of the complexities associated with mandibular fractures, particularly concerning the genial tubercles. They underscore the necessity of tailored treatment strategies that consider the individual anatomical, developmental, and pathological contexts of patients to optimize outcomes.

Keyword: Fracture, The Genial Tubercles Of The Mandible

Downloaded from The Medical Journal of Dentistry and Oral Maxillofacial Surgery
Copyright © International Medical Journal Corp. Ltd. All rights reserved

INTRODUCTION

The literature on mandibular fractures, particularly focusing on the genial tubercles, reveals a comprehensive understanding of the complexities and management strategies associated with these injuries. Beginning with the foundational work by (John et al., 2010), the authors highlight that facial fractures in pediatric patients predominantly involve the mandible, with condylar fractures being the most common. This study underscores the importance of recognizing the unique clinical presentations in children, such as pain and swelling, while emphasizing the necessity of preserving the growth centers of the mandible to ensure proper craniofacial development.

Building upon this, (Guven et al., 2015) present a detailed examination of complex facial trauma cases that include multiple mandibular fractures. This article contributes to the discourse by providing insights into the management of intricate injuries that often accompany mandibular fractures, thus highlighting the multifaceted nature of treatment in such scenarios.

The exploration of pathological fractures is further elaborated by (Carlsen & Marcussen, 2015), who discuss the diagnostic and treatment dilemmas associated with these fractures. Their review encapsulates a range of causative factors, including osteoradionecrosis, and outlines various management protocols. This work is instrumental in understanding the broader implications of underlying health conditions that can influence the occurrence and treatment of mandibular fractures.

In a retrospective analysis, (Srinivasan et al., 2019) investigate 162 cases of mandibular fractures, shedding light on epidemiological trends and treatment protocols. Their findings reveal significant insights into the etiology and distribution of mandibular fractures, which are crucial for developing targeted management strategies and improving patient outcomes.

Downloaded from The Medical Journal of Dentistry and Oral Maxillofacial Surgery
Copyright © International Medical Journal Corp. Ltd. All rights reserved

(Sobrinho Sangalette et al., 2019) focus specifically on the mandibular angle region, which constitutes a significant proportion of facial traumas. Their work emphasizes the urgency of timely surgical intervention in cases of multiple lesions to prevent long-term sequelae, reinforcing the need for prompt and effective treatment approaches.

(T. Chang et al., 2019) contribute to the understanding of the genial tubercle's anatomical positioning and its relevance in obstructive sleep apnea treatment. Their systematic review provides a valuable reference point for clinicians in locating the genial tubercle and understanding its functional implications in surgical procedures.

(Stähli et al., 2021) examine the role of functional appliances in the treatment of mandibular fractures, particularly in pediatric patients. This systematic review reveals the potential benefits of conservative treatment approaches, while also addressing the risks of complications associated with various treatment modalities.

Finally, (Inchingolo et al., 2023) delve into the muscular variations following condylar fractures, emphasizing the importance of early diagnosis and appropriate treatment planning. Their review highlights advancements in surgical techniques and the critical role of muscular therapy in restoring function after injury, thereby underscoring the evolving landscape of mandibular fracture management.

Collectively, these articles contribute to a nuanced understanding of the complexities associated with mandibular fractures, particularly in relation to the genial tubercles, and underscore the importance of tailored treatment strategies to optimize patient outcomes.

LITERATURE REVIEW

The article titled "Management of mandibular body fractures in pediatric patients: A case report with review of literature" by (John et al., 2010) provides a comprehensive overview of the management of mandibular fractures in children, with a specific focus on the implications of these injuries for facial development. The authors highlight that facial fractures in children represent approximately 5%

Downloaded from The Medical Journal of Dentistry and Oral Maxillofacial Surgery
Copyright © International Medical Journal Corp. Ltd. All rights reserved

of all facial fractures, with mandibular fractures being particularly prevalent, especially in the condylar region.

The article effectively outlines the clinical features associated with mandibular fractures in pediatric patients, including pain, swelling, trismus, and derangements in occlusion, among others. These symptoms are critical for clinicians to recognize, as they can significantly impact the diagnosis and subsequent treatment strategies. The authors also note that thorough clinical examinations may be challenging in young or uncooperative patients, which underscores the necessity for careful assessment and potential imaging to confirm diagnoses.

Moreover, the article emphasizes the importance of considering the stage of skeletal and dental development when treating mandibular fractures in children. This consideration is crucial because the management approach can differ significantly based on the age and growth stage of the patient. The preservation of active mandibular growth centers is highlighted as essential for maintaining mandibular function and influencing future facial development positively. This perspective aligns with contemporary practices in pediatric trauma management, where the long-term implications of injuries are increasingly recognized.

In terms of treatment, the authors indicate that the approach should be tailored to the specific type of fracture and the individual developmental context of the child. This nuanced understanding of treatment options is vital, as it reflects a shift from a one-size-fits-all methodology to a more individualized treatment paradigm that takes into account the unique anatomical and developmental needs of pediatric patients.

The article "A Complex Facial Trauma Case with Multiple Mandibular Fractures and Dentoalveolar Injuries" by (Guven et al., 2015) presents a comprehensive examination of a patient with significant mandibular trauma, highlighting the complexities associated with fractures of the mandible, particularly focusing on the genial tubercles. The authors detail a case involving multiple fractures and associated dentoalveolar injuries, providing valuable insights into the clinical management and surgical considerations necessary for such intricate cases.

Downloaded from The Medical Journal of Dentistry and Oral Maxillofacial Surgery
Copyright © International Medical Journal Corp. Ltd. All rights reserved

The authors begin by establishing the context of the case, noting that fractures of the mandible can lead to significant functional and aesthetic complications. They emphasize the importance of understanding the anatomy of the mandible, particularly the genial tubercles, which serve as critical attachment points for the genioglossus and geniohyoid muscles. The involvement of these structures in trauma cases is crucial, as their integrity is essential for maintaining airway function and oropharyngeal stability.

In their case study, (Guven et al., 2015) meticulously describe the imaging findings and the surgical intervention undertaken. The use of computed tomography (CT) scans is particularly noteworthy, as it allows for a detailed evaluation of the fractures and their relationship to surrounding anatomical structures. The authors highlight the importance of a multidisciplinary approach in managing such complex injuries, involving oral and maxillofacial surgeons, radiologists, and other specialists.

The article also addresses the challenges faced during surgery, including the need for precise alignment of the fractured segments to restore both function and aesthetics. The authors discuss the techniques employed for fixation, emphasizing the role of rigid fixation in promoting optimal healing and minimizing complications. This aspect of the article underscores the critical nature of surgical technique in achieving successful outcomes in cases involving fractures of the genial tubercles.

Moreover, the authors reflect on the postoperative management and the importance of follow-up to monitor for complications such as infection, malocclusion, or non-union of fractures. They provide a thoughtful analysis of the potential long-term implications of such injuries on oral function and quality of life, thus reinforcing the necessity for comprehensive care beyond the immediate surgical intervention.

The article titled "Spontaneous fractures of the mandible concept & treatment strategy" by (Carlsen & Marcussen, 2015) provides a comprehensive examination of the diagnostic and treatment challenges associated with pathological fractures of the mandible. The authors address a significant gap in the literature regarding the

Downloaded from The Medical Journal of Dentistry and Oral Maxillofacial Surgery
Copyright © International Medical Journal Corp. Ltd. All rights reserved

management of these fractures, particularly those arising from conditions such as osteoradionecrosis and bisphosphonate-related osteonecrosis.

One of the key insights from the article is the complexity surrounding the diagnosis of pathological mandibular fractures. The authors highlight that these fractures often present a diagnostic dilemma due to their association with underlying conditions that may not be immediately apparent. This is particularly relevant in cases involving osteoradionecrosis, where the history of radiation therapy complicates the clinical picture. (Carlsen & Marcussen, 2015) emphasize the need for a thorough assessment, including imaging studies and a detailed patient history, to differentiate between spontaneous fractures and those resulting from trauma or surgical interventions.

In terms of treatment strategies, the article offers a critical evaluation of various management protocols for pathological fractures. The authors discuss the importance of individualized treatment plans that consider the patient's overall health, the underlying cause of the fracture, and the specific characteristics of the mandibular pathology. They advocate for a multidisciplinary approach, involving oral surgeons, oncologists, and radiologists, to optimize treatment outcomes.

The review of literature presented in the article underscores the ongoing evolution of treatment protocols for mandibular fractures, particularly in the context of atrophic mandibles and fractures related to the extraction of impacted third molars. (Carlsen & Marcussen, 2015) provide a synthesis of findings from the past two decades, illustrating the trends in surgical techniques and postoperative care that have emerged in response to these challenges.

Furthermore, the article critically examines the outcomes of various treatment modalities, noting factors that influence recovery and complications. The authors present evidence that supports the use of specific interventions, such as bone grafting and stabilization techniques, to enhance healing in patients with compromised mandibular integrity.

Downloaded from The Medical Journal of Dentistry and Oral Maxillofacial Surgery
Copyright © International Medical Journal Corp. Ltd. All rights reserved

The article titled "Retrospective Analysis of 162 Mandibular Fractures: An Institutional Experience" by (Srinivasan et al., 2019) provides a comprehensive examination of mandibular fractures, underscoring the mandible's status as the second most commonly fractured maxillofacial bone. The authors conducted a retrospective analysis to elucidate various aspects of mandibular fractures, including demographic factors, etiology, fracture characteristics, treatment protocols, and postoperative outcomes.

One of the key insights from the study is the detailed breakdown of age distribution and gender predilection among the patients. This demographic analysis is crucial for understanding the population most affected by mandibular fractures, which can inform targeted prevention strategies and resource allocation in clinical settings. The authors noted a significant prevalence of fractures in younger males, which aligns with existing literature on trauma-related injuries in this demographic.

The study also highlights the diverse etiologies of mandibular fractures, ranging from vehicular accidents to interpersonal violence. This information is vital for developing public health initiatives aimed at reducing the incidence of such injuries. Furthermore, the authors meticulously documented the site and side distribution of fractures, providing valuable insights into common fracture patterns. This aspect of the analysis is particularly relevant for clinicians, as it can guide diagnostic and treatment approaches.

Another notable contribution of this article is its examination of concomitant fractures and the treatment protocols employed. The identification of common concomitant fractures can aid in comprehensive management strategies, as these fractures often require coordinated treatment to optimize recovery and functional outcomes. The authors' discussion on treatment protocols reflects the evolution of management techniques over time, indicating a shift towards more conservative approaches in certain cases, which may minimize complications.

Postoperative complications are a critical consideration in the management of mandibular fractures, and the authors' evaluation of these outcomes adds an important dimension to the study. By analyzing complications in relation to specific

Downloaded from The Medical Journal of Dentistry and Oral Maxillofacial Surgery
Copyright © International Medical Journal Corp. Ltd. All rights reserved

treatment modalities, the article provides insights that can enhance clinical practice and improve patient care.

The article titled "Treatment of Fracture Sequel in the Mandibular Angle Region" by (Sobrinho Sangalette et al., 2019) provides a comprehensive examination of the challenges and methodologies associated with treating fractures in the mandibular angle, a region significantly affected by trauma. The authors note that the mandibular bone constitutes a substantial portion of facial fractures, with the mandibular angle accounting for 32% of these injuries, often resulting from automobile accidents and physical aggression. This statistic underscores the importance of understanding the mechanisms of injury and the implications for treatment.

A critical aspect of the article is the emphasis on the urgency of surgical intervention. The authors advocate for prompt reduction and fixation of fractured segments to ensure proper alignment and healing. This recommendation aligns with established practices in trauma surgery, where timely intervention is crucial for optimal outcomes. The article describes the surgical techniques employed for the correction of fracture sequelae, highlighting the importance of precise anatomical restoration in the mandibular angle region.

Moreover, the authors delve into the complexities of managing complications that may arise from delayed treatment or improper alignment. They provide insights into the potential long-term consequences of inadequate surgical care, such as malocclusion and aesthetic deformities. This discussion is particularly relevant for practitioners in the field, as it emphasizes the need for thorough preoperative planning and postoperative follow-up.

The article also addresses the role of imaging techniques in the diagnosis and treatment planning for mandibular fractures. By utilizing advanced imaging modalities, clinicians can achieve a better understanding of the fracture patterns and devise more effective treatment strategies. This integration of technology into clinical practice is a notable strength of the article, as it reflects contemporary approaches to surgical intervention.

Downloaded from The Medical Journal of Dentistry and Oral Maxillofacial Surgery
Copyright © International Medical Journal Corp. Ltd. All rights reserved

The article "Genial tubercle position and genioglossus advancement in obstructive sleep apnea (OSA) treatment: a systematic review" by (T. Chang et al., 2019) provides significant insights into the anatomical positioning of the genial tubercles and their relevance in the context of obstructive sleep apnea treatment. The authors systematically reviewed existing literature to determine the precise location of the genial tubercles within the mandible, identifying that they are situated approximately 10 mm from the incisor apex and 10 mm from the lower border of the mandible. This finding is critical as it not only enhances the understanding of mandibular anatomy but also serves as a vital reference point for surgical interventions aimed at genioglossus advancement.

The review effectively synthesizes various studies, establishing a clear anatomical framework that can assist clinicians in localizing the genial tubercle during surgical procedures. By providing specific measurements, the authors contribute to the body of knowledge that underpins surgical techniques for treating conditions such as OSA, where the genioglossus muscle plays a crucial role in maintaining airway patency. The emphasis on the location of the genial tubercles as a landmark for surgical planning is particularly noteworthy, as accurate identification of this structure can influence the outcomes of surgical interventions.

However, while the article presents a thorough review of the anatomical position of the genial tubercles, it could benefit from a more detailed discussion on the implications of these findings in the context of fracture management of the mandible. The relationship between the genial tubercle positioning and potential fracture risks, particularly in patients undergoing surgical advancements, warrants further exploration. Additionally, the review could enhance its clinical relevance by discussing how variations in genial tubercle anatomy might affect surgical outcomes or complications.

The article titled "Functional appliance treatment for mandibular fractures: A systematic review with meta-analyses" by (Stähli et al., 2021) provides a comprehensive examination of the management of mandibular condyle fractures, which are notably prevalent in facial skeletal injuries. The authors present a

Downloaded from The Medical Journal of Dentistry and Oral Maxillofacial Surgery
Copyright © International Medical Journal Corp. Ltd. All rights reserved

systematic review that critically evaluates various therapeutic approaches, including conservative treatment, surgical options, and functional appliance therapy.

A significant insight from the article is the emphasis on the potential complications associated with different treatment modalities. The authors note that while conservative treatment often yields satisfactory outcomes in terms of mandibular function, it carries the risk of late complications such as ankylosis and disturbances in facial growth. This is particularly pertinent in pediatric populations, where the authors argue that surgical interventions may not be the optimal first choice due to the risks of external scarring, nerve damage, and the potential for abnormal growth patterns post-surgery (Stähli et al., 2021).

The systematic review further highlights the role of functional appliances in the management of condylar fractures. These devices are designed to reposition the mandible, which may facilitate stabilization and rehabilitation while minimizing morbidity. However, the authors acknowledge that the evidence supporting the efficacy and safety of orthopaedic rehabilitation using functional appliances remains inconclusive. This indicates a critical gap in the literature, suggesting that further research is necessary to establish definitive clinical guidelines for the use of functional appliances in the context of mandibular fractures.

The article titled "Analysis of Mandibular Muscle Variations Following Condylar Fractures: A Systematic Review" by (Inchingolo et al., 2023) presents a thorough examination of the implications of condylar fractures (CF) on mandibular muscle function and the critical importance of early diagnosis in determining effective treatment strategies. The authors emphasize that timely identification of mandibular fractures is essential to prevent complications that may arise from inadequate management.

The systematic review highlights the necessity of a comprehensive clinical examination, which includes palpation and assessment of joint function, as a preliminary step when a mandibular fracture is suspected. This clinical approach is supported by the need for radiographic investigations, particularly computed

Downloaded from The Medical Journal of Dentistry and Oral Maxillofacial Surgery
Copyright © International Medical Journal Corp. Ltd. All rights reserved

tomography (CT) in both axial and coronal projections, as well as orthopantomography, which are key for confirming the diagnosis of temporomandibular joint (TMJ) involvement (Inchingolo et al., 2023). The authors effectively argue that these imaging techniques are indispensable for a precise understanding of the fracture's impact on the surrounding anatomical structures.

Historically, conservative therapy was regarded as the gold standard for managing mandibular CF; however, the article notes a paradigm shift toward surgical interventions. The authors attribute this shift to advancements in surgical technology, which enable better fracture reduction and anatomical repositioning. This perspective is critical as it reflects contemporary surgical practices and the evolving understanding of optimal treatment modalities for mandibular fractures (Inchingolo et al., 2023).

Additionally, the review discusses the role of muscular therapy in the recovery of masticatory function following temporomandibular disorders resulting from condylar fractures. The authors identify various pain management strategies, including physical therapy, drug therapy, and transcutaneous electrical stimulation, underscoring their significance in facilitating recovery and restoring function (Inchingolo et al., 2023). This comprehensive approach to treatment not only addresses the immediate physical needs of patients but also emphasizes the importance of rehabilitative care in the long-term management of mandibular fracture consequences.

CONCLUSION

The literature on mandibular fractures, specifically concerning the genial tubercles, underscores a multifaceted understanding of both the complexities of these injuries and the various management strategies available. The foundational work by (John et al., 2010) establishes the prevalence of mandibular fractures in pediatric patients, particularly in the condylar region, and emphasizes the importance of recognizing unique clinical presentations to ensure proper craniofacial development. This

Downloaded from The Medical Journal of Dentistry and Oral Maxillofacial Surgery
Copyright © International Medical Journal Corp. Ltd. All rights reserved

recognition is critical as it informs treatment approaches that prioritize the preservation of growth centers.

Further exploration by (Guven et al., 2015) delves into complex facial trauma cases, highlighting the intricate nature of managing multiple mandibular fractures and the associated dentoalveolar injuries. Their insights into surgical considerations and the need for a multidisciplinary approach are vital for effective treatment outcomes. The discussion of pathological fractures by (Carlsen & Marcussen, 2015) adds depth to the literature by addressing the diagnostic dilemmas and treatment protocols associated with conditions like osteoradionecrosis, emphasizing the necessity of individualized management plans.

The retrospective analysis conducted by (Srinivasan et al., 2019) provides epidemiological insights into mandibular fractures, detailing demographic factors and common etiologies that inform targeted prevention strategies. This data is crucial for clinicians in understanding the population most affected by these injuries and the typical fracture patterns encountered in practice.

The specific focus on the mandibular angle region by (Sobrinho Sangalette et al., 2019) reinforces the urgency of prompt surgical intervention to mitigate long-term complications. Their emphasis on imaging techniques for accurate diagnosis and treatment planning is echoed in the systematic review by (T. Chang et al., 2019), which elucidates the anatomical significance of the genial tubercle in obstructive sleep apnea treatment, providing critical measurements that enhance surgical planning.

The examination of functional appliances in the management of mandibular fractures by (Stähli et al., 2021) highlights the potential benefits and risks associated with various treatment modalities, particularly in pediatric patients. This critical analysis of treatment options reflects an evolving understanding of optimal management strategies.

Finally, the review by (Inchingolo et al., 2023) on muscular variations following condylar fractures emphasizes the importance of early diagnosis and the

Downloaded from The Medical Journal of Dentistry and Oral Maxillofacial Surgery
Copyright © International Medical Journal Corp. Ltd. All rights reserved

advancements in surgical techniques that facilitate improved recovery outcomes. This highlights a comprehensive approach to treatment that encompasses both immediate surgical intervention and long-term rehabilitative care.

In conclusion, the collective contributions of these articles provide a nuanced understanding of the complexities associated with mandibular fractures, particularly concerning the genial tubercles. They underscore the necessity of tailored treatment strategies that consider the individual anatomical, developmental, and pathological contexts of patients to optimize outcomes.

DISCLOSURE STATEMENT

- Disclosure Statement : The authors have no conflicts of Interest to declare
- Funding Sources : None
- Acknowledgements : -
- Author Contribution : All authors discussed and contributed the final content for journal submission and publication

REFERENCES

1. John, B., R. John, R., Stalin, A., & Elango, I., 2010. Management of mandibular body fractures in pediatric patients: A case report with review of literature. ncbi.nlm.nih.gov
2. Guven, Y., Zorlu, S., Burak Cankaya, A., Aktoren, O., & Gencay, K., 2015. A Complex Facial Trauma Case with Multiple Mandibular Fractures and Dentoalveolar Injuries. ncbi.nlm.nih.gov
3. Carlsen, A. & Marcussen, M., 2015. Spontaneous fractures of the mandible concept & treatment strategy. ncbi.nlm.nih.gov
4. Srinivasan, B., Balakrishna, R., Sudarshan, H., C. Veena, G., & Prabhakar, S., 2019. Retrospective Analysis of 162 Mandibular Fractures: An Institutional Experience. ncbi.nlm.nih.gov
5. Sobrinho Sangalette, B., Trevizan Levatti, T., Vargas Vieira, L., Lopes Toledo Filho, J., Maldonado Pastori, C., & Lopes Toledo, G., 2019.

Downloaded from The Medical Journal of Dentistry and Oral Maxillofacial Surgery
Copyright © International Medical Journal Corp. Ltd. All rights reserved

Treatment of Fracture Sequel in the Mandibular Angle Region. ncbi.nlm.nih.gov

6. T. Chang, E., Kwon, Y. D., Jung, J., Capasso, R., Riley, R., C. Liu, S., & Camacho, M., 2019. Genial tubercle position and genioglossus advancement in obstructive sleep apnea (OSA) treatment: a systematic review. ncbi.nlm.nih.gov
7. Stähli, C., Eliades, T., & N. Papageorgiou, S., 2021. Functional appliance treatment for mandibular fractures: A systematic review with meta-analyses. ncbi.nlm.nih.gov
8. Inchingolo, F., Patano, A., Michele Inchingolo, A., Riccaldo, L., Morolla, R., Netti, A., Azzollini, D., Danilo Inchingolo, A., Palermo, A., Lucchese, A., Di Venere, D., & Dipalma, G., 2023. Analysis of Mandibular Muscle Variations Following Condylar Fractures: A Systematic Review. ncbi.nlm.nih.gov

Downloaded from The Medical Journal of Dentistry and Oral Maxillofacial Surgery
Copyright © International Medical Journal Corp. Ltd. All rights reserved