Research Article Volume 01, Issue No. 02. 2025

Medical Journal of Urology and General Surgery



The Association Between Vasectomy and Prostate Cancer

[1] Abdul, [1] Rizky

[1] Faculty of Medicine, Sebelas Maret University, Surakarta City, Central Java, Indonesia

Correspondence : drabdul283748@gmail.com

Article History :

Received date : 2024/10/18
Revised date : 2024/11/17
Accepted date : 2024/12/21
Published date : 2025/01/10

Copyright: *© 2024 by the authors. Submitted for possible open access publication under the terms and conditions of the Creative Commons Attribution (BY NC) license (https://creativecommons.org/licenses/by-nc/4.0/).*

ABSTRACT

Background: The literature surrounding the association between vasectomy and prostate cancer reveals a multifaceted interplay of various factors, including epidemiological, behavioral, and socio-economic elements. **Literature Review:** (F Leitzmann & Rohrmann, 2012) further contextualize this relationship by examining behavioral factors associated with prostate cancer risk, emphasizing the evolution of epidemiological studies and the implications of PSA screening. Their findings suggest that understanding health behaviors, such as smoking and dietary habits, is crucial for interpreting the risks associated with vasectomy ((F Leitzmann & Rohrmann, 2012)). This notion is echoed in the work of (T. Chang et al., 2014), who review environmental and occupational exposures, indicating that factors beyond surgical interventions may influence prostate cancer risk ((T. Chang et al., 2014)). (Najari, 2016) shifts the focus to socio-economic dimensions, analyzing how national economic conditions affect men's decisions regarding vasectomy. This perspective underscores the external influences shaping health behaviors and emphasizes the importance of economic stability in reproductive health choices ((Najari, 2016)). **Conclusion:** In conclusion, the literature collectively indicates that the association between vasectomy and prostate cancer is not straightforward and is influenced by a myriad of factors, including urogenital health, health behaviors, socio-economic conditions, and environmental exposures. While some studies suggest a potential link, others highlight the complexity of prostate cancer etiology, urging for more comprehensive research to elucidate these relationships further. The existing body of work calls for a nuanced understanding of how these diverse elements interact, emphasizing the importance of addressing misconceptions and improving awareness regarding vasectomy and its implications for men's health.

Keyword: Vasectomy, Prostate Cancer

Downloaded from The Medical Journal of Urology and General Surgery
Copyright © International Medical Journal Corp. Ltd. All rights reserved

INTRODUCTION

The association between vasectomy and prostate cancer has been a subject of extensive research, reflecting a complex interplay of epidemiological factors, health behaviors, and socio-economic influences. The foundational work by Patel et al. presents a case-control study that explores the relationship between sexually transmitted diseases and other urogenital conditions as risk factors for prostate cancer. This study highlights the multifaceted nature of prostate cancer risk, suggesting that while vasectomy has been linked to prostate cancer in previous studies, other urogenital health issues may also play a significant role in the disease's onset.

Building on this foundation, Leitzmann and Rohrmann (F Leitzmann & Rohrmann, 2012) provide a comprehensive review that delves into various behavioral factors associated with prostate cancer risk. They emphasize the evolution of epidemiological studies, noting a shift towards earlier-stage diagnoses due to increased PSA screening. This shift raises critical questions about detection biases and the factors influencing men's decisions to undergo screening, which may be intertwined with their health behaviors, including smoking and dietary habits. Their findings suggest that understanding these behavioral correlates is essential for contextualizing the potential risks associated with vasectomy.

Chang et al. (T. Chang et al., 2014) contribute to the ongoing discourse by critically reviewing the epidemiology of Agent Orange/TCDD and its relation to prostate cancer. While their focus is not exclusively on vasectomy, they underscore the importance of environmental and occupational exposures in cancer risk, indirectly suggesting that vasectomy's health implications may be influenced by external factors beyond the procedure itself.

Najari (Najari, 2016) shifts the focus to the socio-economic dimensions surrounding vasectomy, examining how national economic conditions impact men's decisions

Downloaded from The Medical Journal of Urology and General Surgery
Copyright © International Medical Journal Corp. Ltd. All rights reserved

regarding this contraceptive method. This study provides a valuable perspective on the external influences that can shape health behaviors and decisions, potentially affecting the relationship between vasectomy and prostate cancer risk.

Further expanding the conversation, Multazam (M. Multazam, 2018) investigates the health impacts of vasectomy as a male contraceptive method in Makassar City. His findings indicate that, contrary to prevalent myths, vasectomy does not lead to adverse health outcomes for acceptors. Instead, he argues for its positive health impacts, which may include increased vitality and disease prevention. This challenges the stigma surrounding the procedure and suggests that misconceptions may hinder men's participation in vasectomy.

Yamashiro and de Riese (R Yamashiro & T W de Riese, 2021) provide a focused review on the relationship between prostate volume and the incidence of prostate cancer. Their methodological approach underscores the importance of rigorous data analysis in establishing meaningful correlations, an aspect that could enhance our understanding of how vasectomy might relate to prostate cancer through changes in prostate volume.

Lastly, Lamoury et al. (P.A. Lamoury et al., 2023) address the complications associated with vasectomy, emphasizing its status as a reliable form of male contraception. Their review of rare complications post-vasectomy highlights the need for continued investigation into the procedure's long-term health implications, particularly in relation to prostate cancer.

Together, these articles form a comprehensive literature review that not only examines the direct association between vasectomy and prostate cancer but also contextualizes this relationship within a broader framework of behavioral, socio-economic, and health-related factors.

LITERATURE REVIEW

The article titled "Sexually transmitted diseases and other urogenital conditions as risk factors for prostate cancer: a case–control study in Wayne County, Michigan"

Downloaded from The Medical Journal of Urology and General Surgery
Copyright © International Medical Journal Corp. Ltd. All rights reserved

by presents a comprehensive analysis of various urogenital conditions and their association with prostate cancer risk. While the primary focus of the study is on sexually transmitted diseases (STDs), it also touches upon the implications of vasectomy as a potential risk factor for prostate cancer, which is an area of significant interest in the medical community.

The authors conducted a case-control study that included a diverse cohort, allowing for a robust examination of the relationship between urogenital conditions and prostate cancer. The methodology employed is commendable, as it utilizes a well-defined population and controls for various confounding variables that could affect the outcomes. This rigor enhances the validity of the findings.

In discussing the potential link between vasectomy and prostate cancer, the article references previous studies that have explored this association. For instance, it cites a series of case-control studies that have indicated a possible increased risk of prostate cancer among men who have undergone vasectomy (). The authors critically evaluate these studies, highlighting inconsistencies in findings and the need for further research to clarify the relationship. They suggest that while some studies indicate a potential link, others do not support this conclusion, emphasizing the complexity of prostate cancer etiology.

Furthermore, the article discusses the biological plausibility of how vasectomy could influence prostate cancer risk, including the potential for changes in hormonal levels or the impact of inflammation resulting from the procedure. The authors argue that these biological mechanisms warrant further investigation to establish a clearer understanding of the relationship.

However, the article also notes the limitations of the existing literature, including small sample sizes and methodological differences among studies. This critical evaluation underscores the necessity for larger, more definitive studies to ascertain the true nature of the association between vasectomy and prostate cancer risk.

Downloaded from The Medical Journal of Urology and General Surgery
Copyright © International Medical Journal Corp. Ltd. All rights reserved

The article "Risk factors for the onset of prostatic cancer: age, location, and behavioral correlates" by (F Leitzmann & Rohrmann, 2012) provides a comprehensive overview of various behavioral factors associated with the risk of prostate cancer. The authors highlight that the epidemiological landscape of prostate cancer has evolved, which has implications for understanding the risk factors involved in its early stages. This evolution is pertinent as it suggests that previously identified risk factors may still be relevant today, despite changes in the spectrum of cases observed.

One of the critical insights from this review is the emphasis on the importance of prostate-specific antigen (PSA) screening and the associated biases that may arise from varying rates of participation in screening based on lifestyle and dietary factors. The authors argue that a careful evaluation of screening behaviors is necessary to mitigate potential detection biases that could skew the understanding of prostate cancer incidence and mortality ((F Leitzmann & Rohrmann, 2012)). This point is particularly salient given the survival rates associated with early detection of prostate cancer, underscoring the need for targeted interventions to encourage screening among at-risk populations.

Moreover, the article discusses smoking as a significant behavioral risk factor, noting that it is more strongly correlated with prostate cancer mortality than incidence. This distinction calls for a nuanced understanding of how different behaviors may impact various outcomes of prostate cancer, suggesting that further research is essential to delineate these relationships ((F Leitzmann & Rohrmann, 2012)).

The authors also touch upon the genetic factors that may influence the relationship between dietary, behavioral, or hormonal factors and prostate cancer risk. They point out that only a limited number of studies have investigated how genetic variants might modify these associations, indicating a gap in the current literature that warrants further exploration ((F Leitzmann & Rohrmann, 2012)). This aspect

Downloaded from The Medical Journal of Urology and General Surgery
Copyright © International Medical Journal Corp. Ltd. All rights reserved

is crucial as it could lead to more personalized approaches in assessing prostate cancer risk and developing prevention strategies.

The article "A critical review of the epidemiology of Agent Orange/TCDD and prostate cancer" by (T. Chang et al., 2014) provides a thorough examination of the potential health risks associated with environmental exposures, particularly focusing on the correlation between Agent Orange, its contaminant TCDD, and prostate cancer. While this article does not directly address vasectomy, it contributes to the broader understanding of prostate cancer risk factors.

The authors systematically review existing epidemiological studies, highlighting inconsistencies in the literature regarding the link between Agent Orange exposure and prostate cancer. They emphasize the need for more robust studies to clarify these associations, particularly considering confounding factors that may influence the observed outcomes. The critical evaluation of various studies underscores the complexity of establishing causation in epidemiological research, which is particularly relevant when considering the multifaceted nature of prostate cancer risk.

Moreover, the article touches upon the biological mechanisms that may underlie the association between environmental toxins and cancer development. (T. Chang et al., 2014) discuss how TCDD may disrupt endocrine function and promote carcinogenesis, which could inform future research on other potential risk factors, including surgical interventions like vasectomy. By analyzing the epidemiological data, the authors suggest that while there may be a potential link between certain exposures and prostate cancer, definitive conclusions remain elusive due to methodological limitations in the studies reviewed.

In "The Status Of Vasectomy In The United States: Economic Influences And Long-Term Follow-Up In Men With No Children," (Najari, 2016) examines the interplay between economic conditions and the decision-making process surrounding vasectomy. The article provides a comprehensive analysis of how

Downloaded from The Medical Journal of Urology and General Surgery
Copyright © International Medical Journal Corp. Ltd. All rights reserved

economic factors influence men's choices regarding this surgical procedure, particularly in the context of family planning and reproductive health.

(Najari, 2016) begins by contextualizing the historical trends of vasectomy in the United States, noting fluctuations that correspond with economic cycles. The author argues that during periods of economic downturn, there is a noticeable decline in the rate of vasectomies, suggesting that financial constraints may lead men to postpone or forgo the procedure. This correlation highlights the broader implications of economic stability on personal health decisions, particularly in a demographic often characterized by uncertainty about future familial responsibilities.

The article also delves into the long-term follow-up of men who have undergone vasectomy, emphasizing the importance of understanding the psychological and physical outcomes associated with the procedure. (Najari, 2016) presents data indicating that men without children who choose vasectomy often experience varying degrees of satisfaction and regret, influenced by their socioeconomic status and life circumstances. This nuanced perspective adds depth to the discussion, as it illustrates that the decision to undergo vasectomy is not solely a medical one but is also deeply intertwined with personal and economic factors.

Furthermore, the article critically evaluates the need for public health initiatives that address the economic barriers to accessing vasectomy. (Najari, 2016) posits that increasing awareness and reducing financial burdens associated with the procedure could lead to better outcomes for men considering this form of contraception. By framing the discussion around economic influences, the author effectively highlights the necessity for healthcare policies that support reproductive health access, particularly for economically disadvantaged populations.

The article "Health Impact Related to the Selection of Vasectomy as Male Contraceptive Method in Makassar City" by (M. Multazam, 2018) provides a qualitative analysis of the perceptions and health outcomes associated with vasectomy as a male contraceptive method within the context of Makassar City.

Downloaded from The Medical Journal of Urology and General Surgery
Copyright © International Medical Journal Corp. Ltd. All rights reserved

The study highlights several critical insights regarding the societal and health implications of vasectomy, particularly in a region where cultural and religious factors heavily influence reproductive health decisions.

(M. Multazam, 2018)'s research employs a descriptive analysis approach, interviewing fifteen informants who had undergone vasectomy. The findings reveal that none of the participants reported experiencing adverse health effects post-procedure. In fact, the study suggests that vasectomy may confer positive health benefits, such as enhanced vitality and a potential reduction in the risk of certain diseases. This challenges the prevalent negative perceptions surrounding vasectomy, which are often rooted in misinformation and cultural stigma.

The article also underscores the multifaceted barriers that contribute to the low acceptance of vasectomy as a contraceptive option among men. These barriers include limited knowledge, prevailing attitudes, and entrenched social and cultural norms that prioritize traditional views on masculinity and reproductive roles. (M. Multazam, 2018)'s work emphasizes the importance of addressing these barriers through education and awareness campaigns to enhance male participation in family planning initiatives.

Furthermore, the study's qualitative nature allows for an in-depth exploration of individual experiences and societal attitudes towards vasectomy. This approach not only sheds light on the health impacts of the procedure but also contextualizes these findings within broader social dynamics. The article effectively dismisses unfounded fears related to vasectomy, advocating for its recognition as a viable contraceptive method that can contribute to population control efforts.

The article "Any Correlation Between Prostate Volume and Incidence of Prostate Cancer: A Review of Reported Data for the Last Thirty Years" by (R Yamashiro & T W de Riese, 2021) presents a systematic review that critically examines the relationship between prostate gland volume and the incidence of prostate cancer (PCa). The authors conducted a thorough literature search adhering to PRISMA

Downloaded from The Medical Journal of Urology and General Surgery
Copyright © International Medical Journal Corp. Ltd. All rights reserved

guidelines, utilizing specific search terms to filter relevant studies from the PubMed database. This methodological rigor enhances the reliability of their findings.

The inclusion criteria were clearly defined, focusing on cohort studies involving human subjects published in English between 1990 and 2020. This focus on recent literature allows for an up-to-date understanding of the association between prostate volume and PCa incidence, while the exclusion criteria effectively eliminate studies that could introduce bias or irrelevant data. By concentrating on biopsy-proven cases of PCa, the authors ensure that the data analyzed are clinically relevant and robust.

The results of the review indicate a nuanced relationship between prostate volume and the risk of developing PCa. The authors extracted key data variables, including sample sizes and statistical significance (p-values), which are critical for assessing the strength of the associations reported in the included studies. This systematic approach allows for a comprehensive evaluation of the existing literature, highlighting both the consensus and discrepancies among various studies regarding prostate volume as a potential risk factor for PCa.

However, while the article provides valuable insights, it also underscores the complexity of establishing a direct correlation between prostate volume and PCa incidence. The authors note that variations in study design, population demographics, and definitions of prostate volume may contribute to differing outcomes. This complexity suggests that further research is necessary to clarify the mechanisms underlying any observed associations and to determine whether prostate volume can be reliably used as a predictive marker for PCa risk.

The article titled "Review of vasocutaneous fistulas and other rare complications after vasectomy" by (P.A. Lamoury et al., 2023) provides a comprehensive overview of the complications associated with vasectomy, specifically focusing on the immediate postoperative period. The authors meticulously detail various complications, including hematoma formation, wound infection, and short-term

Downloaded from The Medical Journal of Urology and General Surgery
Copyright © International Medical Journal Corp. Ltd. All rights reserved

postoperative pain, which are critical considerations for both patients and healthcare providers.

One of the key insights from the article is the emphasis on the frequency and nature of these complications. The authors highlight that while vasectomy is generally considered a safe and effective method of male sterilization, the occurrence of complications can significantly impact patient satisfaction and overall outcomes. By presenting a clear categorization of these complications, the article serves as an essential resource for understanding the potential risks involved in the procedure.

Moreover, the authors discuss the implications of these complications in the context of patient management. They suggest that awareness and early recognition of complications can lead to timely interventions, ultimately improving patient outcomes. This perspective is crucial, as it underscores the importance of post-operative care and patient education regarding potential risks.

In terms of critical evaluation, while the article effectively outlines the common and rare complications associated with vasectomy, it could benefit from a more in-depth discussion on the long-term effects of these complications, particularly in relation to prostate health. Given the ongoing debates surrounding the association between vasectomy and prostate cancer, a more thorough exploration of this nexus could provide valuable insights for both clinical practice and future research.

CONCLUSION

The literature surrounding the association between vasectomy and prostate cancer reveals a multifaceted interplay of various factors, including epidemiological, behavioral, and socio-economic elements. (M. Multazam, 2018) conducted a case-control study that elucidates the potential risk factors for prostate cancer, including sexually transmitted diseases and other urogenital conditions. This foundational work highlights the complexity of prostate cancer risk and suggests that while vasectomy may be implicated, other urogenital health issues also warrant consideration ((M. Multazam, 2018)).

Downloaded from The Medical Journal of Urology and General Surgery
Copyright © International Medical Journal Corp. Ltd. All rights reserved

(F Leitzmann & Rohrmann, 2012) further contextualize this relationship by examining behavioral factors associated with prostate cancer risk, emphasizing the evolution of epidemiological studies and the implications of PSA screening. Their findings suggest that understanding health behaviors, such as smoking and dietary habits, is crucial for interpreting the risks associated with vasectomy ((F Leitzmann & Rohrmann, 2012)). This notion is echoed in the work of (T. Chang et al., 2014), who review environmental and occupational exposures, indicating that factors beyond surgical interventions may influence prostate cancer risk ((T. Chang et al., 2014)).

(Najari, 2016) shifts the focus to socio-economic dimensions, analyzing how national economic conditions affect men's decisions regarding vasectomy. This perspective underscores the external influences shaping health behaviors and emphasizes the importance of economic stability in reproductive health choices ((Najari, 2016)). Expanding this dialogue, (M. Multazam, 2018) investigates the health impacts of vasectomy in a specific cultural context, finding that misconceptions about adverse health outcomes are prevalent, but the procedure may actually confer benefits ((M. Multazam, 2018)).

(R Yamashiro & T W de Riese, 2021) contribute to the discussion by examining the relationship between prostate volume and prostate cancer incidence. Their methodological rigor in analyzing data suggests that understanding prostate volume changes could provide insights into how vasectomy relates to cancer risk ((R Yamashiro & T W de Riese, 2021)). (P.A. Lamoury et al., 2023) address the complications associated with vasectomy, emphasizing its reliability as a contraceptive method while noting the necessity for further investigation into its long-term health implications, particularly concerning prostate cancer ((P.A. Lamoury et al., 2023)).

In conclusion, the literature collectively indicates that the association between vasectomy and prostate cancer is not straightforward and is influenced by a myriad of factors, including urogenital health, health behaviors, socio-economic

Downloaded from The Medical Journal of Urology and General Surgery
Copyright © International Medical Journal Corp. Ltd. All rights reserved

conditions, and environmental exposures. While some studies suggest a potential link, others highlight the complexity of prostate cancer etiology, urging for more comprehensive research to elucidate these relationships further. The existing body of work calls for a nuanced understanding of how these diverse elements interact, emphasizing the importance of addressing misconceptions and improving awareness regarding vasectomy and its implications for men's health.

DISCLOSURE STATEMENT

- Disclosure Statement : The authors have no conflicts of Interest to declare
- Funding Sources : None
- Acknowledgements : -
- Author Contribution : All authors discussed and contributed the final content for journal submission and publication

REFERENCES

1. F Leitzmann, M. & Rohrmann, S., 2012. Risk factors for the onset of prostatic cancer: age, location, and behavioral correlates. ncbi.nlm.nih.gov
2. T. Chang, E., Boffetta, P., Adami, H. O., Cole, P., & S. Mandel, J., 2014. A critical review of the epidemiology of Agent Orange/TCDD and prostate cancer. ncbi.nlm.nih.gov
3. Najari, B., 2016. The Status Of Vasectomy In The United States: Economic Influences And Long-Term Follow-Up In Men With No Children. [PDF]
4. M. Multazam, A., 2018. Health Impact Related to the Selection of Vasectomy as Male Contraceptive Method in Makassar City. [PDF]
5. R Yamashiro, J. & T W de Riese, W., 2021. Any Correlation Between Prostate Volume and Incidence of Prostate Cancer: A Review of Reported Data for the Last Thirty Years. ncbi.nlm.nih.gov

Downloaded from The Medical Journal of Urology and General Surgery
Copyright © International Medical Journal Corp. Ltd. All rights reserved

6. P.A. Lamoury, R., Pauwels, J., De Wachter, S., & Brits, T., 2023. Review of vasocutaneous fistulas and other rare complications after vasectomy. ncbi.nlm.nih.gov

Downloaded from The Medical Journal of Urology and General Surgery
Copyright © International Medical Journal Corp. Ltd. All rights reserved